

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1 **Product identifier**

> **Product Name** Product Code(s)

Relevant identified uses of the substance or 1.2

mixture and uses advised against

Identified use(s)

An alkaline liquid cleaner suitable for the cleaning of

re-usable milk filters.

Cleanline Filter Soak

Not applicable

Product is for professional use only

Must not be used by persons under the age of 18, except

when adult supervision is available.

Do not mix with acids or any other chemical products.

1.3 Details of the supplier of the Safety Data Sheet

Company Identification

Uses advised against

Progiene Dairy Hygiene A division of Rumenco, Rumenco Limited, Stretton House, Derby Road, Burton on Trent, Staffordshire DE13 0DW

Telephone +44 (0) 1283 524240 E-Mail (competent person) info@progiene-dairy.com

Emergency telephone number 1.4

Emergency Phone No.

+44 (0) 1283 524240 (09.00 - 17.00 GMT Monday - Friday)

Cleanline Filter Soak Page: 1/10 Date: 30 January 2018 Revision 1.1



SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Skin Corrosion (Category 1A). Causes severe skin burns and

eye damage. Harmful if swallowed.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP) 2.2.1 Label elements

Hazard Pictogram

Signal word(s) Danger

Hazard statement(s) H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

P102: Keep out of reach of children. Precautionary statement(s)

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash skin thoroughly after handling. P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off

immediately all contaminated clothing. Rinse skin with

water/shower.

P363: Wash contaminated clothing before reuse.

P304 + P340: IF INHALED: Remove victim to fresh air and

keep at rest in a position comfortable for breathing. P310: Immediately call a POISON CENTRE or

doctor/physician.

P305+P351+P338: IF IN EYES: Rinse continuously with water

for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

P501: Dispose of contents/container to: hazardous waste site

2.3 Other hazards Do not mix with acids or other chemical products.

Additional Information 2.4 None

> Cleanline Filter Soak Page: 2/10 Date: 30 January 2018 Revision 1.1



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	Cas No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Sodium Hydroxide	10 - 20	1310-73-2	215-185-5	01-2119457892-27	Skin Corr. 1A: H314
Tetrasodium Ethylene Diamine Tetra Acetate	1 - 5	64-02-8	200-573-9	01-2119486762-27	Acute Tox. 4, H332, H302 Eye Dam. 1, H318

3.3 Additional Information

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Remove persons affected by vapour to fresh air.

For those providing assistance, avoid exposure to yourself or

others

If respiratory irritation, dizziness, nausea, or unconsciousness

occurs, seek immediate medical assistance.

If breathing is irregular or has stopped, administer artificial

respiration.

Skin Contact Remove contaminated clothing and shoes immediately and

wash affected skin with water.

Wash contaminated clothing before reuse.

Eye Contact Eyes should be washed with plenty of water for at least 15

minutes. Get immediate medical attention.

Ingestion Wash out mouth with water. Do not induce vomiting. Get

immediate medical attention.

4.2 Most important symptoms and effects, both

acute and delayed

Burning sensation, cough, wheezing, shortness of breath, spasm. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and

skin. Itching, pain, redness, and swelling of skin

4.3 Indication of immediate medical attention and

special treatment needed

If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

Cleanline Filter Soak Page: 3/10 Date: 30 January 2018 Revision 1.1



SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media Extinguish with dry chemical, foam, water spray, or carbon

dioxide.

Unsuitable Extinguishing Media No data available

5.2 Special hazards arising from the substance or When

mixture

When heated and in the case of fire, harmful vapours/gases

may be formed.

5.3 Advice for fire-fighters Evacuate area. Use water spray to disperse the vapours and

to protect personnel attempting to stop a leak. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire

exposed surfaces and to protect personnel

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with spilled material. Wear suitable protective equipment. Refer to section 5 for fire-fighting; section 4 for

equipment. Refer to section 5 for fire-fighting; section 4 for first-aid advice; and section 8 for minimum requirements for

personal protective equipment.

6.2 Environmental precautions Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and

cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent

material.

6.4 Reference to other sections Section 1 for emergency contact. Section 8 for information on

appropriate personal protective equipment.

6.5 Additional Information None

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin. Avoid breathing fumes. Avoid

ingestion. Avoid inhalation of vapours. Use only with adequate ventilation. Keep away from heat and sources of ignition. Keep container tightly closed. Wear protective

gloves/clothing and eye/face protection.

7.2 Conditions for safe storage, including any

incompatibilities

Storage Temperature Store between 0°C to 25°C. Keep out of direct sunlight.

Storage Life 1 year.

Incompatible materials Acids, ammonia solutions, oxidising materials, zinc or

aluminium.

7.3 Specific end use(s) An alkaline liquid cleaner suitable for the cleaning of

re-usable milk filters.

Cleanline Filter Soak Page: 4/10 Date: 30 January 2018 Revision 1.1



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Sodium Hydroxide	1310-73-2	-	-	-	2	EH40

8.1.2 Biological limit value

8.1.3 PNECs and DNELs

8.2.1 Appropriate engineering controls

Not established Not established

8.2.2 Personal protection equipment

Eye/face protection



Wear chemical safety glasses with side shields, or splash-

proof goggles

Skin protection (Hand protection/ Other)



Any specific glove information provided is based on published literature and glove-manufacturer data. Contact the glove manufacturer for glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. Chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet –style gloves. Nitrile, CEN standards EN 420 and EN 374 provide general requirements and list of glove types.

Respiratory protection



If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements. Types of respirator to be considered for this mixture include: Half-face filter respirator; Type A filter material CEN standards EN136, EN140 and EN 405 provide respirator masks and EN 149

and EN 143 provide filter recommendations

Thermal hazards None Known

8.2.3 Environmental Exposure Controls

See sections 6,7,12,13

Cleanline Filter Soak Page: 5/10 Date: 30 January 2018 Revision 1.1



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Liquid
Colour Clear
Odour None

Odour Threshold (ppm)

No data available
pH (Value)

12 (1% w/w solution)

Melting Point (°C) / Freezing Point (°C) No data available for melting point; Freezing <0

Boiling point/boiling range (°C): No data available Flash Point (°C) No data available Evaporation rate (Butyl Acetate = 1) No data available Flammability (solid, gas) No data available Explosive limit ranges. No data available Vapour Pressure (mm Hg) No data available Vapour Density (Air=1) No data available Density (g/ml) 1.12 (20°C) Solubility (Water) Soluble

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Temperature (°C)

Decomposition Temperature (°C)

Viscosity (mPa.s)

Explosive properties

Oxidising properties

No data available

No data available

No data available

No data available

9.2 Other information None

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions of use.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions See 10.5

10.4 Conditions to avoid Excessive heat and cold.

10.5 Incompatible materials Acids, ammonia solutions, oxidising materials, zinc or

aluminium.

10.6 Hazardous Decomposition Product(s) Hazardous decomposition products are not expected to

form during normal storage.

Noxious, toxic or corrosive vapours may be released in a

fire situation.

Cleanline Filter Soak Page: 6/10 Date: 30 January 2018 Revision 1.1



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.2 Mixtures

Acute toxicity There is no information regarding the mixture but one of the

components, Sodium Hydroxide, has been assessed as

follows:

LD50, oral, rat 325mg/kg.

Irritation No data available

Corrosivity No data available

Sensitisation No data available

Repeated dose toxicity

No data available

Carcinogenicity No data available

Mutagenicity No data available

Toxicity for reproduction No data available

11.2 Other information None

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity There is no information regarding the mixture but one of the

components, Sodium Hydroxide, has been assessed as

follows:

LC50, Fish, 33-189mg/l, 96 hours

LC50, pimephales promelas, 1.4mg/l, (96h)

EC50, Daphnia, 40-240mg/l, (48h)

12.2 Persistence and degradability Not expected to inhibit aerobic and anaerobic activity.

12.3 Bioaccumulative potentialNot expected to bioaccumulate.

12.4 Mobility in soil No data available

12.5 Results of PBT and VPVB assessment No PBT or VPVB Components

12.6 Other adverse effects None

Cleanline Filter Soak Page: 7/10 Date: 30 January 2018 Revision 1.1



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

13.2 Additional Information

None

SECTION 14: TRANSPORT INFORMATION

14.1 Land transport (ADR/RID)

UN number

Proper Shipping Name Transport hazard class(es)

Packing Group Hazard label(s) 1760

Corrosive Liquid N.O.S

8 III



Environmental hazards
Special precautions for user

Marine pollutant Not applicable.

14.2 Sea transport (IMDG)

UN number 176

Proper Shipping Name Corrosive Liquid N.O.S

Transport hazard class(es) 8
Packing Group III
Marine Pollutant Yes

Special precautions for user Not applicable.

14.3 Air transport (ICAO/IATA)

UN number 1760

Proper Shipping Name Corrosive Liquid N.O.S

Transport hazard class(es)
Packing Group

Environmental hazards Marine pollutant.
Special precautions for user Not applicable

14.4 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable

Cleanline Filter Soak Page: 8/10 Date: 30 January 2018 Revision 1.1

8

Ш



SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or mixture

1907/2006 - REACH 1272/2008 - CLP

648/2004/EC-Detergents Directive

Control of Substance Hazardous to Health (COSHH)
Dangerous Substances and Explosive Atmosphere

regulations (DSEAR)

15.1.1 EU regulations

Authorisations and/or restrictions on use

Refer to EU regulation for details of any actions or restrictions by the above regulations or directives

15.1.2 National regulations

Refer to national regulation for details of any actions or restrictions by the above regulations or directives

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for

this mixture.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration RCP Reciprocal Calculation Procedure

References: Sources of information used in preparing this SDS included one or more of the following: results from in-house or supplier toxicology studies; publications from trade associations; ECHA publications; EU guidelines and other sources as appropriate

Hazard statement(s) and Precautionary statement(s)

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

P102: Keep out of reach of children.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash skin thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310: Immediately call a POISON CENTRE or doctor/physician.

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P501: Dispose of contents/container to: hazardous waste site

Cleanline Filter Soak Page: 9/10 Date: 30 January 2018 Revision 1.1



Additional Information

Revision 1.1 was issued on 30 January 2018 to update contact details and remove redundant CHIP data.

This Safety Data Sheet has been produced by d5 Consulting Limited on behalf of Progiene Dairy Hygiene, a division of Rumenco Limited, based on information supplied by the formulators of the product and is believed to be accurate and given in good faith, but it is for the users to satisfy themselves of the suitability of the product for their own particular purpose. d5 Consulting Limited and Progiene Dairy Hygiene, a division of Rumenco Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. Progiene Dairy hygiene, Rumenco Limited and d5 Consulting Limited give no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.

Cleanline Filter Soak Page: 10/10 Date: 30 January 2018 Revision 1.1