

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Dual Protect Barrier

Product Code(s) Not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)

A specially formulated Iodine and Glycolic Acid teat dip with

Glycerine for use as an aid in post milking udder hygiene on

livestock.

Product is for professional use only.

Must not be used by persons under the age of 18, except

when adult supervision is available

Uses advised against No data available.

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Progiene Dairy Hygiene

A division of Rumenco, Rumenco Limited, Stretton House, Derby Road, Burton on Trent, Staffordshire DE13 0DW

Telephone +44 (0) 1283 524240

E-Mail (competent person) <u>info@progiene-dairy.com</u>

1.4 Emergency telephone number

Emergency Phone No. +44 (0) 1283 524240 (09.00 – 17.00 GMT Monday - Friday)

Dual Protect Barrier Page: 1/11 Date: 18 November 2022 Revision 1.3



SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Eye Irritation (Category 2). Causes serious eye irritation.

2.2 Label elements

2.2.1 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Hazard Pictogram



Signal word(s) Warning

Hazard statement(s) H319: Causes serious eye irritation.

Precautionary statement(s)

P102: Keep out of reach of children.
P261: Avoid breathing vapours/spray.

P264: Wash skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off

immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338: IF IN EYES: Rinse continuously with water

for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

P501: Dispose of contents/container to: hazardous waste site

2.3 Other hazards None

2.4 Additional Information None

Dual Protect Barrier Page: 2/11 Date: 18 November 2022 Revision 1.3



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	Cas No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Alcohol Ethoxylate	<2	160901-19-9	931-954-4	N/A	Acute Tox. 4: H302 Eye Dam. 1: H318
Glycolic Acid	< 1	79-14-1	201-180-5	N/A	Acute Tox. 4: H332 Skin Corr. 1: H314
Iodine	<0.2	7553-56-2	231-442-4	01-2119457892-27	Acute Tox. 4 : H302 Acute Tox. 4: H312 Acute Tox. 4: H332 Skin Irrit. 2 : H315 Eye Irrit. 2 : H319 STOT SE 3 : H335 STOT RE 1 : H372 Aquatic Acute 1: H400

3.3 Additional Information

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Remove persons affected by vapour to fresh air.

For those providing assistance, avoid exposure to yourself or

others.

If respiratory irritation, dizziness, nausea, or unconsciousness

occurs, seek immediate medical assistance.

Skin Contact Remove contaminated clothing and shoes immediately and

wash affected skin with water.

Wash contaminated clothing before reuse.

Eye Contact Eyes should be washed with plenty of water for at least 15

minutes. Get immediate medical attention.

Ingestion Wash out mouth with water. Do not induce vomiting. Get

immediate medical attention.

4.2 Most important symptoms and effects, both

acute and delayed

Inhalation – may cause irritation of nose and throat.

Ingestion - may cause irritation and nausea.

Skin contact – Prolonged or repeated contact may cause

dryness or cracking to the skin.

Eye contact – irritation of eyes and mucous membranes may

occur.

4.3 Indication of immediate medical attention and special treatment needed No data available. Treat symptomatically.

Dual Protect Barrier Page: 3/11 Date: 18 November 2022 Revision 1.3



SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media Extinguish with dry chemical, foam, water spray, or carbon

dioxide.

Unsuitable Extinguishing Media Straight streams of water

5.2 Special hazards arising from the substance or

mixture

Toxic fumes may be released.

5.3 Advice for fire-fighters

Evacuate area. If a leak or a spill has not ignited, use water spray to disperse the vapours and to protect personnel attempting to stop a leak. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with spilled material. Wear suitable protective equipment. Refer to section 5 for fire-fighting; section 4 for first-aid advice; and section 8 for minimum requirements for

personal protective equipment.

6.2 Environmental precautionsDo not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning up Adsorb spillages onto sand, earth or any suitable adsorbent

material

6.4 Reference to other sections

Section 1 for emergency contact. Section 8 for information on

appropriate personal protective equipment.

6.5 Additional Information None

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin. Avoid breathing fumes. Avoid ingestion. Avoid inhalation of vapours. Use only with adequate ventilation. Keep away from heat and sources of ignition. Keep container tightly closed. Wear protective gloves/clothing and eye/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature Store between 0°C to 25°C. Keep out of direct sunlight.

Storage Life 1 year.

Incompatible materials Alkalis, metals, and oxidising agents such as Red Label

Hypochlorite.

7.3 Specific end use(s) A specially formulated lodine and Glycolic Acid teat dip with

Glycerine for use as an aid in post milking udder hygiene on

livestock.

Dual Protect Barrier Page: 4/11 Date: 18 November 2022 Revision 1.3



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Iodine	7553-56-2	-	-	0.1	1.1	EH40

8.1.2 Biological limit value

8.1.3 PNECs and DNELs

Not established

DNEL (Workers)

Acute – systematic effects, inhalation: 9.2 mg/m3 Glycolic

Acid

Acute – local effects, inhalation: 9.2 mg/m3 Glycolic Acid Long Term – systematic effects, dermal: 57.69 mg/mg3

Glycolic Acid

 $Long\ Term-systematic\ effects,\ inhalation:\ 10.56\ mg/m3$

Glycolic Acid

Lomg Term: - local effects, inhalation: 1.53 mg/m3 Glycolic

Acid

DNEL (General Population)

Acute – systematic effects, dermal: 2.3 mg/m3 Glycolic Acid Acute – local effects, inhalation: 2.3 mg/m3 Glycolic Acid

 $Long \ Term-systematic\ effects,\ oral:\ 0.75\ mg/kg$

bodyweight/day Glycolic Acid

 $Long\ Term-systematic\ effects,\ inhalation:\ 2.6\ mg/m3$

Glycolic Acid

Lomg Term: - systematic effects, dermal: 28.85 mg/kg

bodyweight/day Glycolic Acid

PNEC (Water)

PNEC aqua (fresh water): 0.0312 mg/l Glycolic Acid PNEC aqua (marine water): 0.0031 mg/l Glycolic Acid PNEC aqua (intermittent, fresh water: 0.312 mg/l Glycolic

Acid

PNEC (Sediment)

PNEC sediment (fresh water): 0.115 mg/kg dwt Glycolic

Acid

PNEC sediment (marine water): 0.0115 mg/kg dwt

Glycolic Acid

PNEC (Soil)

PNEC soil: 0.007 mg/kg dwt Glycolic Acid

PNEC (oral)

PNEC oral (secondary poisioning): 16.66 mg/kg food

Glycolic Acid

8.2.1 Appropriate engineering controls

Not established

Dual Protect Barrier Page: 5/11 Date: 18 November 2022 Revision 1.3



8.2.2 Personal protection equipment

Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Thermal hazards

8.2.3 Environmental Exposure Controls

Wear chemical safety glasses with side shields, or splashproof goggles

Any specific glove information provided is based on published literature and glove-manufacturer data. Contact the glove manufacturer for glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. Chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet –style gloves. CEN standards EN 420 and EN 374 provide general requirements and list of glove types.

If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements. Types of respirator to be considered for this mixture include: Half-face filter respirator; Type A filter material CEN standards EN136, EN140 and EN 405 provide respirator masks and EN 149 and EN 143 provide filter recommendations.

None Known

See sections 6,7,12,13

Dual Protect Barrier Page: 6/11 Date: 18 November 2022 Revision 1.3



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Liquid
Colour Dark Brown
Odour lodine

Odour Threshold (ppm) No data available

pH (Value) 2.0 – 4.0

Melting Point (°C) / Freezing Point (°C)

Boiling point/boiling range (°C):

Flash Point (°C)

No data available for melting point; Freezing <0

100

>80

Evaporation rate (Butyl Acetate = 1)

No data available

Flammability (solid, gas) >100°C

Explosive limit ranges.

Vapour Pressure (mm Hg)

Vapour Density (Air = 1)

Density (g/ml)

Solubility (Water)

No data available

No data available

1.00 – 1.02

Soluble

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Temperature (°C)

Decomposition Temperature (°C)

No data available

No data available

No data available

Viscosity (mPa.s) >1000cP

Explosive properties No data available Oxidising properties No data available

9.2 Other information None

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Reacts with strong alkalis.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions See 10.5

10.4 Conditions to avoid Direct sunlight. Excessive heat and cold.

10.5 Incompatible materials None identified.

10.6 Hazardous Decomposition Product(s) No hazardous decomposition products identified.

Dual Protect Barrier Page: 7/11 Date: 18 November 2022 Revision 1.3



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.2 Mixtures

Acute toxicity There is no information regarding the mixture but one of the

components, lodine, has been assessed as follows: LC50 Inhalation. Dusts and mists Rat >4.588 mg/l 4 hours

LD50 Dermal Rabbit 1425 mg/kg LD50 Oral Rabbit 14000 mg/kg

Irritation Causes serious eye irritation. pH 2.0 – 4.0

Corrosivity pH 2.0 - 4.0

Sensitisation No data available

Repeated dose toxicity

No data available

Carcinogenicity No data available

Mutagenicity No data available

Toxicity for reproduction No data available

11.2 Other information May be harmful if inhaled.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity There is no information regarding the mixture but one of the

components, lodine, has been assessed as follows:

Acute EC50 1 mg/l Aquatic plants 72 hours

12.2 Persistence and degradability The surfactants contained in the product are biodegradable

according to the requirements of the detergent regulation

648/2004/EC.

12.3 Bioaccumulative potentialNot expected to bioaccumulate..

12.4 Mobility in soil No data available

12.5 Results of PBT and VPVB assessment No PBT or VPVB Components

12.6 Other adverse effects None

Dual Protect Barrier Page: 8/11 Date: 18 November 2022 Revision 1.3



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

None

13.2 Additional Information

SECTION 14: TRANSPORT INFORMATION

14.1 Land transport (ADR/RID)

UN number

Proper Shipping Name Transport hazard class(es)

Packing Group

Hazard label(s)

Environmental hazards

Special precautions for user

14.2 Sea transport (IMDG)

UN number

Proper Shipping Name

Transport hazard class(es)

Packing Group

Marine Pollutant

Special precautions for user

14.3 Air transport (ICAO/IATA)

UN number

Proper Shipping Name

Transport hazard class(es)

Packing Group

Environmental hazards

Special precautions for user

14.4 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not classified for transport.

Not classified for transport.

Not classified for transport.

Not applicable

Dual Protect Barrier Page: 9/11 Date: 18 November 2022 Revision 1.3



SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or mixture

1907/2006 - REACH 1272/2008 - CLP

648/2004/EC-Detergents Directive

Control of Substance Hazardous to Health (COSHH) Dangerous Substances and Explosive Atmosphere regulations (DSEAR)

15.1.1 EU regulations

Authorisations and/or restrictions on use

Refer to EU regulation for details of any actions or restrictions by the above regulations or directives.

15.1.2 National regulations

Refer to national regulation for details of any actions or restrictions by the above regulations or directives.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for

this mixture.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration RCP Reciprocal Calculation Procedure

References: Sources of information used in preparing this SDS included one or more of the following: results from in-house or supplier toxicology studies; publications from trade associations; ECHA publications; EU guidelines and other sources as appropriate

Hazard statement(s) and Precautionary statement(s)

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe burns and eye damage

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H372: Causes damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

P102: Keep out of reach of children.

P261: Avoid breathing vapours/spray.

P264: Wash skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P501: Dispose of contents/container to: hazardous waste site.

Dual Protect Barrier Page: 10/11 Date: 18 November 2022 Revision 1.3



Additional Information

Revision 1.1 was issued on 4 August 2014 to re-classify Glycerol.

Revision 1.2 was issued on 29 January 2018 to re-classify the hazards presented by the ingredients in Section 3.

Revision 1.3 was issued on 18 November 2022 to re-classify the hazards due to e re-formulation of the product.

This Safety Data Sheet has been produced by d5 Consulting Limited on behalf of Progiene Dairy Hygiene, a division of Rumenco Limited, based on information supplied by the formulators of the product and is believed to be accurate and given in good faith, but it is for the users to satisfy themselves of the suitability of the product for their own particular purpose. d5 Consulting Limited and Progiene Dairy Hygiene, a division of Rumenco Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. Progiene Dairy hygiene, Rumenco Limited and d5 Consulting Limited give no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.

Dual Protect Barrier Page: 11/11 Date: 18 November 2022 Revision 1.3