

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product Code(s)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the Safety Data Sheet

Identified use(s)

1.3

Uses advised against

Company Identification

Telephone

E-Mail (competent person)

1.4 Emergency telephone number

Emergency Phone No.

T-HEXX Dry-E Blue Not applicable

External teat sealant used for the dry and the pre-calving

period of the dairy cow

Product is for professional use only.

Must not be used by persons under the age of 18, except

when adult supervision is available.

Do not mix with other chemical products.

Progiene Dairy Hygiene A division of Rumenco, Rumenco Limited, Stretton House,

Derby Road, Burton on Trent, Staffordshire DE13 0DW

+44 (0) 1283 524240 info@progiene-dairy.com

+44 (0) 1283 524240 (09.00 - 17.00 GMT Monday - Friday)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP)

Flammable Liquid (Category 2). Highly flammable liquid and vapour.

Acute Toxicity, Oral (Category 3). Toxic if swallowed. Eye Irritation (Category 2). Causes serious eye irritation. Acute Toxicity, Inhalation (Category 3). Toxic if inhaled. Acute Toxicity, Dermal (Category 3). Toxic in contact with skin.

Specific Target Organ Toxicity - single exposure (Category 2).

May cause damage to organs.

Specific Target Organ Toxicity - single exposure (Category 3).

May cause drowsiness or dizziness.

T-HEXX Dry-E Blue Page: 1/12 Date: 30 January 2018 Revision 1.1



2.2 Label elements

2.2.1 Label elements

Hazard Pictograms

According to Regulation (EC) No. 1272/2008 (CLP)



Signal word(s)

Hazard statement(s)

Precautionary statement(s)

Dangei

H225: Highly flammable liquid and vapour.

H301 : Toxic if swallowed. H311 : Toxic in contact with skin. H319 : Causes serious eye irritation.

H331: Toxic if inhaled.

H336 : May cause drowsiness or dizziness H371 : May cause damage to organs.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing. P280: Wear protective gloves/protective clothing/eye

protection/face protection

P301+310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and

easy to do - continue rinsing

P501: Dispose of contents/container to: hazardous waste site.

2.3 Other hazards Do not mix with other chemical products.

2.4 Additional Information None

T-HEXX Dry-E Blue Page: 2/12 Date: 30 January 2018 Revision 1.1



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	Cas No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Ethanol	28 - 31	64-17-5	200-578-6	01-2119457610-43	Flam. Liq. 2, H225
Methyl Ethyl Ketone	18 - 20	78-93-3	201-159-0	01-2119457290-43	Flam. Liq. 2, H225 Eye Irrit, 2, H319 STOT SE 3, H336
Methanol	9 - 11	67-56-1	200-659-6	01-2119433307-20	Flam Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3, (Inhalation), H331 STOT SE 1: H370
Ethyl Acetate	7 - 9	141-78-6	205-500-4	01-2119475103-46	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

3.3 Additional Information

For full text of H/P phrases see section 16.

T-HEXX Dry-E Blue Page: 3/12 Date: 30 January 2018 Revision 1.1



SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Remove persons affected by vapour to fresh air.

For those providing assistance, avoid exposure to yourself or

others.

If respiratory irritation, dizziness, nausea, or unconsciousness

occurs, seek immediate medical assistance.

If breathing is irregular or has stopped, administer artificial

respiration.

Skin Contact Remove contaminated clothing and shoes immediately and

wash affected skin with water.

Wash contaminated clothing before reuse.

Eye Contact Eyes should be washed with plenty of water for at least 15

minutes. Get immediate medical attention.

Ingestion Wash out mouth with water. Do not induce vomiting. Get

immediate medical attention.

4.2 Most important symptoms and effects, both

acute and delayed

May cause contact dermatitis reaction by skin contact. Can cause skin burns. Severe eye irritation with permanent damage burns to throat, nose and gastrointestinal tract and

severe irritation of the respiratory tract.

Classified as a Category 2 carcinogen under 1272/2008

(CLP).

4.3 Indication of immediate medical attention and

special treatment needed

If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media Water spray, dry chemical, foam, alcohol resistant foam or

carbon dioxide.

Unsuitable Extinguishing Media High volume water jet

5.2 Special hazards arising from the substance or

mixture

Hazardous decomposition products are not expected to form during normal storage. When heated and in case of fire,

Carbon monoxide and Carbon dioxide (CO2) could be

formed

5.3 Advice for fire-fighters Evacuate area. If a leak or a spill has not ignited, use water

spray to disperse the vapours and to protect personnel attempting to stop a leak. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed

surfaces and to protect personnel.

T-HEXX Dry-E Blue Page: 4/12 Date: 30 January 2018 Revision 1.1



SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with spilled material. Wear suitable protective equipment. Refer to section 5 for fire-fighting; section 4 for first-aid advice; and section 8 for minimum requirements for

personal protective equipment.

6.2 Environmental precautions

Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning up Adsorb spillages onto sand, earth or any suitable adsorbent

material.

6.4 Reference to other sections

Section 1 for emergency contact. Section 8 for information on

appropriate personal protective equipment.

6.5 Additional Information

None.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin. Avoid breathing fumes. Avoid ingestion. Avoid inhalation of vapours. Use only with adequate ventilation. Keep away from heat and sources of ignition. Keep container tightly closed. Wear protective gloves/clothing and eye/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature

Keep tightly closed in a dry and cool place. Keep in a well ventilated place. Keep away from heat. Keep away from

direct sunlight.

Storage Life No data available.

Incompatible materials Incompatible with oxidizing agents.

7.3 Specific end use(s)

External teat sealant used for the dry and the pre-calving

period of the dairy cow.

T-HEXX Dry-E Blue Page: 5/12 Date: 30 January 2018 Revision 1.1



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Methanol	67-56-1	200	266	250	333	EH40
Ethanol	64-17-5	1000	1920	-	-	EH40
Ethyl Acetate	141-78-6	200	-	400	-	EH40
Methyl Ethyl Ketone	78-93-3	200	600	300	899	EH40

8.1.2 Biological limit value

8.1.3 PNECs and DNELs

8.2.1 Appropriate engineering controls

Not established Not established

Use in well ventilated area. If user operations generate fumes, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep exposure to airborne contaminants below the occupational exposure limits.

8.2.2 Personal protection equipment

Eye/face protection



Wear chemical safety glasses with side shields, or splashproof goggles

Skin protection (Hand protection/ Other)



Any specific glove information provided is based on published literature and glove-manufacturer data. Contact the glove manufacturer for glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. Chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet –style gloves. CEN standards EN 420 and EN 374 provide general requirements and list of glove types.

Respiratory protection



If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements. Types of respirator to be considered for this mixture include: Half-face filter respirator; Type A filter material CEN standards EN136, EN140 and EN 405 provide respirator masks and EN 149 and EN 143 provide filter recommendations

Thermal hazards None known

8.2.3 Environmental Exposure Controls See sections 6,7,12,13

T-HEXX Dry-E Blue Page: 6/12 Date: 30 January 2018 Revision 1.1



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Liquid (Thixotropic)

Colour Blue Odour Alcohol

Odour Threshold (ppm)

Podata available

Podata available

Not applicable

Melting Point (°C) / Freezing Point (°C)

No data available

Boiling point (°C) / Freezing Point (°C) No data available No data available No data available

Flash Point (°C) 2

Evaporation rate (Air =1) >1.0 (Ethanol)

Flammability (solid, gas) Combustible liquid and vapour

Explosive limit ranges. No data available Vapour Pressure (mm Hg) 44.6 at 20°C (Ethanol) Vapour Density (Air=1) No data available Density (g/ml) 0.9 at 25°C Solubility (Water) Partially soluble Solubility (Other) No data available Partition Coefficient (n-Octanol/water) No data available Auto Ignition Temperature (°C) No data available Decomposition Temperature (°C) No data available Viscosity (mPa.s) No data available Explosive properties No data available Oxidising properties No data available

9.2 Other information None

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity No data available.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions See 10.5

10.4 Conditions to avoid Heat, open flame, sources of ignition such as static

discharge during dry cold weather.

10.5 Incompatible materials Strong oxidisers, Alkali metals, Alkaline earth metals,

Nitric acid, Sulphuric acid and Peroxides, e.g. hydrogen

peroxide.

10.6 Hazardous Decomposition Product(s) Hazardous decomposition products are not expected to

form during normal storage. When heated and in case of fire, Carbon monoxide and Carbon dioxide (CO2) could be

formed.

T-HEXX Dry-E Blue Page: 7/12 Date: 30 January 2018 Revision 1.1



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.2 Mixtures

Acute toxicity

There is no information regarding the mixture but two of the components have been assessed as follows:

Methanol:

LD5O Oral - Human - 143 mg/kg

Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhoea.

LD50 Oral, Rat, 1,187 - 2,769 mg/kg LC50 Inhalation, Rat, 4 h, 128.2 mg/l LC50 Inhalation, Rat, 6 h, 87.6 mg/l LD50 Dermal, Rabbit, 17,100 mg/kg;

Ethanol:

LD50, Oral, Rat, > 2000 mg/kg LD50, Dermal, Rabbit, > 2000 mg/kg

LC50, Inhalation, Mouse, > 20 mg/l (vapours).

Irritation No data available

Corrosivity No data available

Sensitisation No data available

Repeated dose toxicity No data available

Carcinogenicity No data available

Mutagenicity No data available

Toxicity for reproduction No data available

11.2 Other information Methanol may be fatal or cause blindness if swallowed.

Effects due to methanol ingestion may include: Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures. Symptoms may be delayed, Damage of the Liver, Kidney.

Specific target organ toxicity - single exposure

Causes damage to organs.

T-HEXX Dry-E Blue Page: 8/12 Date: 30 January 2018 Revision 1.1



SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

There is no information regarding the mixture but two of the components have been assessed as follows:

Methanol:

LC50, Lepomis macrochirus (Bluegill), 15,400.0 mg/l, 96 h

NOEC, Oryzias latipes, 7,900 mg/l, 200 h

EC50, Daphnia magna (Water flea), > 10,000.00 mg/l, 48h EC50, Scenedesmus capricornutum (fresh water algae),

22,000.0 mg/l, 96 h.

Ethanol: L

LC50, Fish, Leuciscus idus (Golden orfe), > 100 mg/l, 48h

EC50, Daphnia magna, >100mg/l, 48h

EC50, Selenastrum capricornutum, >100mg/l, 48h.

12.2 Persistence and degradability Readily biodegradable.

12.3 Bioaccumulative potential Not expected to bioaccumulate.

12.4 Mobility in soil Adsorption to solid soil is not expected.

12.5 Results of PBT and VPVB assessment No PBT or VPVB Components

12.6 Other adverse effects None

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

Contaminated packages must be completely emptied before sending away for laundering and re-use Waste, residue, empty containers, discarded work clothes and used disposable towels must be collected in designated receptacles, labelled with content. When handling waste, consideration should be made to the safety precautions applying to handling of the product.

Contaminated packaging should be disposed of as hazardous waste, according to local authority guidelines.

13.2 Additional Information None

T-HEXX Dry-E Blue Page: 9/12 Date: 30 January 2018 Revision 1.1



SECTION 14: TRANSPORT INFORMATION

14.1 Land transport (ADR/RID)

UN number 1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S (Ethanol, Methanol, Methyl

3

Ш

Ethyl Ketone, Ethyl Acetate)

Transport hazard class(es)

Packing Group

Supermontal harvards

Environmental hazards No Special precautions for user None

14.2 Sea transport (IMDG)

Hazard label(s)

UN number 1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S (Ethanol, Methanol, Methyl

Ethyl Ketone, Ethyl Acetate)

Transport hazard class(es) 3
Packing Group II
Marine Pollutant No
Special precautions for user None

14.3 Air transport (ICAO/IATA)

UN number 199

Proper Shipping Name FLAMMABLE LIQUID, N.O.S (Ethanol, Methanol, Methyl

Ethyl Ketone, Ethyl Acetate)

Transport hazard class(es) 3
Packing Group II
Environmental hazards No
Special precautions for user None

14.4 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Category C, IBC Instruction IBC02

T-HEXX Dry-E Blue Page: 10/12 Date: 30 January 2018 Revision 1.1



SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or mixture

1907/2006 – REACH 1272/2008 – CLP

648/2004/EC-Detergents Directive

Control of Substance Hazardous to Health (COSHH) Dangerous Substances and Explosive Atmosphere regulations (DSEAR)

15.1.1 EU regulations

Authorisations and/or restrictions on use Refer to EU regulation for details of any actions or

restrictions by the above regulations or directives

15.1.2 National regulations Refer to national regulation for details of any actions or

restrictions by the above regulations or directives

15.2 Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for

this mixture.

SECTION 16: OTHER INFORMATION

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration RCP Reciprocal Calculation Procedure NOEC No Observed Effect Concentration

References: Sources of information used in preparing this SDS included one or more of the following: results from in-house or supplier toxicology studies; publications from trade associations; ECHA publications; EU guidelines and other sources as appropriate.

Hazard statement(s) and Precautionary statement(s)

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin. H319: Causes serious eye irritation

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness

H370: Causes damage to organs.

H371: May cause damage to organs.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P501: Dispose of contents/container to: hazardous waste site.

T-HEXX Dry-E Blue Page: 11/12 Date: 30 January 2018 Revision 1.1



Additional Information

Revision 1.1 was issued on 30 January 2018 to update contact details and remove redundant CHIP data.

This Safety Data Sheet has been produced by d5 Consulting Limited on behalf of Progiene Dairy Hygiene, a division of Rumenco Limited, based on information supplied by the formulators of the product and is believed to be accurate and given in good faith, but it is for the users to satisfy themselves of the suitability of the product for their own particular purpose. d5 Consulting Limited and Progiene Dairy Hygiene, a division of Rumenco Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. Progiene Dairy hygiene, Rumenco Limited and d5 Consulting Limited give no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.

T-HEXX Dry-E Blue Page: 12/12 Date: 30 January 2018 Revision 1.1