



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	Cleanline BT Acid
Product Code(s)	Not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)	A specially formulated Phosphoric Acid/Chlorhexidine-based ice-bank tank cleaner for the removal of fat and protein deposits in automated systems. Product is for professional use only. Must not be used by persons under the age of 18, except when adult supervision is available.
Uses advised against	None

1.3 Details of the supplier of the Safety Data Sheet

Company Identification	Progiene Dairy Hygiene A division of Rumenco, Rumenco Limited, Stretton House, Derby Road, Burton on Trent, Staffordshire DE13 0DW
Telephone	+44 (0) 1283 524240
E-Mail (competent person)	info@progiene-dairy.com

1.4 Emergency telephone number

Emergency Phone No.	+44 (0) 1283 524240 (09.00 – 17.00 GMT Monday - Friday)
---------------------	---

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

- 2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Skin Corrosion (Category 1B). Causes severe burns and eye damage.
Eye Damage (Category 1). Causes serious eye damage.

2.2 Label elements

- 2.2.1 Label elements** According to Regulation (EC) No. 1272/2008 (CLP)

Hazard Pictogram



Signal word(s)

Danger

Hazard statement(s)

H314: Causes severe burns and eye damage.
H318: Causes serious eye damage.

Precautionary statement(s)

P102: Keep out of reach of children.
P260: Do not breathe dust/fume/gas/mist/vapours/spray.
P264: Wash skin thoroughly after handling.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P363: Wash contaminated clothing before reuse.
P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P310: Immediately call a POISON CENTRE or doctor/physician.
P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P501: Dispose of contents/container to: hazardous waste site

2.3 Other hazards

None stated

2.4 Additional Information

None stated

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	Cas No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Phosphoric Acid	25 - 35	7664-38-2	231-633-2	01-2119485924-24	Skin Corr. 1B: H314
Chlorhexidine digluconate	1.0 - 5.0	18472-51-0	242-354-0	01-2119946568-22	Eye Dam.1: H318 Aquatic Chronic 1:H410

3.3 Additional Information

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation	If person inhales spray or mist move into fresh air, and if recovery is not rapid, seek medical attention.
Skin Contact	Remove contaminated clothing. Wash affected area with plenty of soap and water. Get immediate medical attention. Launder clothing before re-use.
Eye Contact	Immediately irrigate eye with plenty of water or eye-wash solution for 10 minutes. Get immediate medical attention.
Ingestion	Wash out mouth with water. Do not induce vomiting. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Burning pain and corrosive skin damage. May cause irritation to nose and throat. Damage to eyes including burning and tearing. May cause chemical burns to the nose and throat.

4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media	.
Suitable Extinguishing Media	Extinguish with dry chemical, foam, water spray, or carbon dioxide.
Unsuitable Extinguishing Media	Straight streams of water.
5.2 Special hazards arising from the substance or mixture	When heated and in case of fire, harmful vapours/gases may be formed.
5.3 Advice for fire-fighters	Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	Avoid contact with spilled material. Wear suitable protective equipment. Refer to section 5 for fire-fighting; section 4 for first-aid advice; and section 8 for minimum requirements for personal protective equipment.
6.2 Environmental precautions	Do not allow to enter drains, sewers or watercourses.
6.3 Methods and material for containment and cleaning up	Adsorb spillages onto sand, earth or any suitable adsorbent material.
6.4 Reference to other sections	Section 1 for emergency contact. Section 8 for information on appropriate personal protective equipment.
6.5 Additional Information	None stated

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling	Avoid contact with skin and eyes. Avoid breathing fumes. Avoid ingestion. Avoid inhalation of vapours. Use only with adequate ventilation. Keep away from heat and sources of ignition. Keep container tightly closed. Wear protective gloves/clothing and eye/face protection. Use product in accordance with good industrial practices for handling and storing of chemicals. Do not mix with other chemicals.
7.2 Conditions for safe storage, including any incompatibilities	
Storage Temperature	Store in a cool dry well-ventilated area out of direct sunlight. Protect from extremes of temperature.
Storage Life	2 years.
Incompatible materials	Alkalis and oxidising materials.
7.3 Specific end use(s)	A specially formulated Phosphoric Acid/Chlorhexidine-based ice-bank tank cleaner for the removal of fat and protein

deposits in automated systems.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Phosphoric Acid	7664-38-2	-	1	-	2	EH40

8.1.2 Biological limit value

Not established

8.1.3 PNECs and DNELs

Not established

8.2.1 Appropriate engineering controls

Not established

8.2.2 Personal protection equipment

Eye/face protection



Wear chemical safety glasses with side shields, or splash-proof goggles

Skin protection (Hand protection/ Other)



Any specific glove information provided is based on published literature and glove-manufacturer data. Contact the glove manufacturer for glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. Chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet-style gloves. CEN standards EN 420 and EN 374 provide general requirements and list of glove types.

Respiratory protection



If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements. Types of respirator to be considered for this mixture include: Half-face filter respirator; Type A filter material CEN standards EN136, EN140 and EN 405 provide respirator masks and EN 149 and EN 143 provide filter recommendations.

Thermal hazards

None known

8.2.3 Environmental Exposure Controls

See sections 6,7,12,13

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	None
Odour Threshold (ppm)	No data available
pH (Value)	1.0 approx.
Melting Point (°C) / Freezing Point (°C)	No data available for melting point; Freezing <0
Boiling point/boiling range (°C):	No data available
Flash Point (°C)	No data available
Evaporation rate (Butyl Acetate = 1)	No data available
Flammability (solid, gas)	No data available
Explosive limit ranges.	No data available
Vapour Pressure (mm Hg)	No data available
Vapour Density (Air=1)	No data available
Density (g/ml)	1.16 +/- 0.02 (20°C)
Solubility (Water)	Soluble
Solubility (Other)	No data available
Partition Coefficient (n-Octanol/water)	No data available
Auto Ignition Temperature (°C)	No data available
Decomposition Temperature (°C)	No data available
Viscosity (mPa.s)	No data available
Explosive properties	No data available
Oxidising properties	No data available

9.2 Other information

None stated

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	The product reacts with many alkali compounds.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Reacts violently with alkalis. Contact with metals may cause the formation of flammable hydrogen gas.
10.4 Conditions to avoid	Direct sunlight and extremes of temperature.
10.5 Incompatible materials	Strong alkalis and oxidising materials.
10.6 Hazardous Decomposition Product(s)	Noxious, toxic or corrosive vapours, may be released in a fire situation including nitrous gases.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.2 Mixtures

Acute toxicity	No data available
Irritation	May cause severe irritation to mucous membranes and digestive tract. May cause nausea and stomach pains. May cause severe irritation to respiratory system and mucous membranes.
Corrosivity	Causes severe burns to skin and eyes. pH: 1
Sensitisation	No data available
Repeated dose toxicity	No data available
Carcinogenicity	No data available
Mutagenicity	No data available
Toxicity for reproduction	No data available

11.2 Other information

None stated

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Not regarded as dangerous for the environment.
12.2 Persistence and degradability	Not expected to inhibit aerobic and anaerobic activity.
12.3 Bioaccumulative potential	Not expected to bioaccumulate.
12.4 Mobility in soil	No data available
12.5 Results of PBT and VPVB assessment	No PBT or VPVB Components
12.6 Other adverse effects	None stated

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

13.2 Additional Information

None stated

SECTION 14: TRANSPORT INFORMATION

14.1 Land transport (ADR/RID)

UN number

3264

Proper Shipping Name

CORROSIVE LIQUID, ACIDIC, INORGANIC. N.O.S.
(phosphoric acid solution)

Transport hazard class(es)

8

Packing Group

II

Hazard label(s)



Environmental hazards

No

14.2 Sea transport (IMDG)

UN number

3264

Proper Shipping Name

CORROSIVE LIQUID, ACIDIC, INORGANIC. N.O.S.
(phosphoric acid solution)

Transport hazard class(es)

8

Packing Group

II

Hazard Label(s)



Marine Pollutant

No

14.3 Air transport (ICAO/IATA)

UN number

3264

Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, INORGANIC. N.O.S. (phosphoric acid solution)
Transport hazard class(es)	8
Packing Group	II
Hazard Label(s)	



Environmental hazards	No
-----------------------	----

14.4 Special precautions for user

Overland transport (ADR)

Classification code	C1
Special provisions	274
Limited quantities	5L
Excepted quantities	E1
Packing instructions	P001, IBC03, LP01, R001
Mixed packaging provisions	MP19
Portable tank & bulk container instructions	T7
Portable tank & bulk container special provisions	TP1, TP28
Tank Code	L4BN
Tank Special provisions	TU42
Vehicle for tank carriage	AT
Transport category	2
Special provisions for carriage – Packages	V12
Hazard identification number (Kemler number)	80
Tunnel restriction code	E
EAC code	2X
App code	B

Transport by sea (IMDG)

Special provisions	223, 274
Limited quantities	5L
Excepted quantities	E1
Packing instructions	P001, LP01
IBC packing instructions	IBC03
Tank instructions	T7
Tank special provisions	TP1, TP28
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-B
Stowage category	A
Stowage & handling	SW2
Segregation	SGG1, Sg36, SG49
Properties and observations	Causes burns to skin, eyes and mucous membranes

Air Transport (IATA)

PCA excepted quantities	E1
PCA limited quantities	Y841
PCA limited quantity max net quantity	1L
PCA packing instructions	852

PCA net max quantity	5L
CAO packing instructions	856
CAO max net quantity	60L
Special provisions	A3, A803
ERG code	8L

Inland waterways transport (ADN)

Classification code	C1
Special provisions	274
Limited quantities	5L
Excepted quantities	E1
Equipment required	PP, EP
Number of blue cones/lights	0

Rail Transport (RID)

Classification code	C1
Special provisions	274
Limited quantities	5L
Excepted quantities	E1
Packing instructions	P001, IBC03, LP01, R001
Mixed packaging provisions	MP19
Portable tank & bulk container instructions	T7
Portable tank & bulk container special provisions	TP1, TP28
Tank codes for RID tanks	L4BN
Special provisions for RID tanks	TU42
Transport category	2
Special provisions for carriage – Packages	W12
Colis express (express parcels)	CE8
Hazard identification number	80

14.5 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
---	----------------

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or mixture	1907/2006 – REACH 1272/2008 – CLP 648/2004/EC-Detergents Directive Control of Substance Hazardous to Health (COSHH) Dangerous Substances and Explosive Atmosphere regulations (DSEAR)
15.1.1 EU regulations	
Authorisations and/or restrictions on use	Refer to EU regulation for details of any actions or restrictions by the above regulations or directives.
15.1.2 National regulations	Refer to national regulation for details of any actions or restrictions by the above regulations or directives.
15.2 Chemical Safety Assessment	A Chemical Safety Assessment has not been carried out for this mixture.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEL	Predicted No Effect Concentration
RCP	Reciprocal Calculation Procedure

References: Sources of information used in preparing this SDS included one or more of the following: results from in-house or supplier toxicology studies; publications from trade associations; ECHA publications; EU guidelines and other sources as appropriate

Hazard statement(s) and Precautionary statement(s)

H314: Causes severe burns and eye damage.

H318: Causes serious eye damage.

H410: Very toxic to aquatic life with long lasting effects.

P102: Keep out of reach of children.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash skin thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310: Immediately call a POISON CENTRE or doctor/physician.

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P501: Dispose of contents/container to: hazardous waste site.

Additional Information

Revision 1.1 was issued on 10 June to update Transport Information and Hazard Information.

This Safety Data Sheet has been produced by d5 Consulting Limited on behalf of Progiene Dairy Hygiene, a division of Rumenco Limited, based on information supplied by the formulators of the product and is believed to be accurate and given in good faith, but it is for the users to satisfy themselves of the suitability of the product for their own particular purpose. d5 Consulting Limited and Progiene Dairy Hygiene, a division of Rumenco Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. Progiene Dairy hygiene, Rumenco Limited and d5 Consulting Limited give no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.