



## SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name Dual Care Barrier

Product Code(s) Not applicable

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) A Teat Care product supplied as a spray/dip/foam or film-forming agent containing a mixture of Surfactants, Emollients, Lactic Acid and Glycolic Acid for udder hygiene. Product is for professional use only. Must not be used by persons under the age of 18, except when adult supervision is available

Uses advised against No data available.

#### 1.3 Details of the supplier of the Safety Data Sheet

Company Identification Progiene Dairy Hygiene  
A division of Rumenco,  
Rumenco Limited,  
Stretton House,  
Derby Road,  
Burton on Trent,  
Staffordshire  
DE13 0DW


Telephone +44 (0) 1283 524240

E-Mail (competent person) [info@progiene-dairy.com](mailto:info@progiene-dairy.com)

#### 1.4 Emergency telephone number

Emergency Phone No. +44 (0) 1283 524240 (09.00 – 17.00 GMT Monday - Friday)

## SECTION 2: HAZARDS IDENTIFICATION

<b>2.1</b>	<b>Classification of the substance or mixture</b>	
<b>2.1.1</b>	<b>Regulation (EC) No. 1272/2008 (CLP)</b>	Eye Damage (Category 2). Causes serious eye irritation.
<b>2.2</b>	<b>Label elements</b>	
<b>2.2.1</b>	<b>Label elements</b>	According to Regulation (EC) No. 1272/2008 (CLP)
	Hazard Pictogram	
	Signal word(s)	Warning
	Hazard statement(s)	H319: Causes serious eye irritation.
	Precautionary statement(s)	P102: Keep out of reach of children. P261: Avoid breathing vapours/spray. P264: Wash skin thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P501: Dispose of contents/container to: hazardous waste site
<b>2.3</b>	<b>Other hazards</b>	None
<b>2.4</b>	<b>Additional Information</b>	None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	Cas No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Glycolic Acid	<1	79-14-1	201-180-5	N/A	Acute Tox. 4: H332 Skin Corr. 1 : H314
Lactic Acid	<1	79-33-4	201-196-2	01-2119474164-19	Skin Irrit. 2 : H315 Eye Dam. 1: H318

### 3.3 Additional Information

For full text of H/P phrases see section 16.

## SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Inhalation	Remove persons affected by vapour to fresh air. For those providing assistance, avoid exposure to yourself or others. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance.
Skin Contact	Remove contaminated clothing and shoes immediately and wash affected skin with water. Wash contaminated clothing before reuse.
Eye Contact	Eyes should be washed with plenty of water for at least 15 minutes. Get immediate medical attention.
Ingestion	Wash out mouth with water. Do not induce vomiting. Get immediate medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation – may cause irritation of nose and throat.  
Ingestion – may cause irritation and nausea.  
Skin contact – None under normal use.  
Eye contact – irritation of eyes and mucous membranes may occur.

### 4.3 Indication of immediate medical attention and special treatment needed

No data available. Treat symptomatically.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1 Extinguishing Media

Suitable Extinguishing Media	Extinguish with dry chemical, foam, water spray, or carbon dioxide.
Unsuitable Extinguishing Media	Straight streams of water

### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition or combustion products may include the following substances: irritating gases or vapours.

### 5.3 Advice for fire-fighters

Evacuate area. If a leak or a spill has not ignited, use water spray to disperse the vapours and to protect personnel attempting to stop a leak. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	Avoid contact with spilled material. Wear suitable protective equipment. Refer to section 5 for fire-fighting; section 4 for first-aid advice; and section 8 for minimum requirements for personal protective equipment.
<b>6.2 Environmental precautions</b>	Do not allow to enter drains, sewers or watercourses.
<b>6.3 Methods and material for containment and cleaning up</b>	Adsorb spillages onto sand, earth or any suitable adsorbent material.
<b>6.4 Reference to other sections</b>	Section 1 for emergency contact. Section 8 for information on appropriate personal protective equipment.
<b>6.5 Additional Information</b>	None

## SECTION 7: HANDLING AND STORAGE

<b>7.1 Precautions for safe handling</b>	Avoid contact with skin. Avoid breathing fumes. Avoid ingestion. Avoid inhalation of vapours. Use only with adequate ventilation. Keep away from heat and sources of ignition. Keep container tightly closed. Wear protective gloves/clothing and eye/face protection.
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	
Storage Temperature	Store between 0°C to 25°C. Keep out of direct sunlight.
Storage Life	1 year.
Incompatible materials	Oxidising agents such as Red Label Hypochlorite.
<b>7.3 Specific end use(s)</b>	A Teat Care product supplied as a spray/dip/foam or film-forming agent containing a mixture of Surfactants, Emollients, Lactic Acid and Glycolic Acid for udder hygiene.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**8.1.1 Occupational Exposure Limits**

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
N/A	-	-	-	-	-	-

**8.1.2 Biological limit value**

Not established

**8.1.3 PNECs and DNELs**

**DNEL (Workers)**  
 Acute – systematic effects, inhalation: 9.2 mg/m3 Glycolic Acid  
 Acute – local effects, inhalation: 9.2 mg/m3 Glycolic Acid  
 Long Term – systematic effects, dermal: 57.69 mg/mg3 Glycolic Acid  
 Long Term – systematic effects, inhalation: 10.56 mg/m3 Glycolic Acid  
 Long Term: - local effects, inhalation: 1.53 mg/m3 Glycolic Acid

**DNEL (General Population)**  
 Acute – systematic effects, dermal: 2.3 mg/m3 Glycolic Acid  
 Acute – local effects, inhalation: 2.3 mg/m3 Glycolic Acid  
 Long Term – systematic effects, oral: 0.75 mg/kg bodyweight/day Glycolic Acid  
 Long Term – systematic effects, inhalation: 2.6 mg/m3 Glycolic Acid  
 Long Term: - systematic effects, dermal: 28.85 mg/kg bodyweight/day Glycolic Acid

**PNEC (Water)**  
 PNEC aqua (fresh water): 0.0312 mg/l Glycolic Acid  
 PNEC aqua (marine water): 0.0031 mg/l Glycolic Acid  
 PNEC aqua (intermittent, fresh water): 0.312 mg/l Glycolic Acid

**PNEC (Sediment)**  
 PNEC sediment (fresh water): 0.115 mg/kg dwt Glycolic Acid  
 PNEC sediment (marine water): 0.0115 mg/kg dwt Glycolic Acid

**PNEC (Soil)**  
 PNEC soil: 0.007 mg/kg dwt Glycolic Acid

**PNEC oral**  
 PNEC oral (secondary poisoning): 16.66 mg/kg food Glycolic Acid

**8.2.1 Appropriate engineering controls**

Not established

## 8.2.2 Personal protection equipment

Eye/face protection



Wear chemical safety glasses with side shields, or splash-proof goggles

Skin protection (Hand protection/ Other)



Any specific glove information provided is based on published literature and glove-manufacturer data. Contact the glove manufacturer for glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. Chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet –style gloves. CEN standards EN 420 and EN 374 provide general requirements and list of glove types.

Respiratory protection



If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements. Types of respirator to be considered for this mixture include: Half-face filter respirator; Type A filter material CEN standards EN136, EN140 and EN 405 provide respirator masks and EN 149 and EN 143 provide filter recommendations.

Thermal hazards

None Known

## 8.2.3 Environmental Exposure Controls

See sections 6,7,12,13

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>9.1</b>	<b>Information on basic physical and chemical properties</b>	
	Appearance	Liquid
	Colour	Green
	Odour	Characteristic
	Odour Threshold (ppm)	No data available
	pH (Value)	2.0 - 3.5
	Melting Point (°C) / Freezing Point (°C)	No data available for melting point; Freezing <0
	Boiling point/boiling range (°C):	100
	Flash Point (°C)	>80
	Evaporation rate (Butyl Acetate = 1)	No data available
	Flammability (solid, gas)	No data available
	Explosive limit ranges.	No data available
	Vapour Pressure (mm Hg)	No data available
	Vapour Density (Air = 1)	No data available
	Density (g/ml)	0.99 – 1.03
	Solubility (Water)	Soluble
	Solubility (Other)	No data available
	Partition Coefficient (n-Octanol/water)	No data available
	Auto Ignition Temperature (°C)	No data available
	Decomposition Temperature (°C)	No data available
	Viscosity (mPa.s)	<4cP
	Explosive properties	No data available
	Oxidising properties	No data available
<b>9.2</b>	<b>Other information</b>	None

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1</b>	<b>Reactivity</b>	The product is non-reactive under normal conditions of use, storage and transport.
<b>10.2</b>	<b>Chemical stability</b>	Stable under normal conditions.
<b>10.3</b>	<b>Possibility of hazardous reactions</b>	See 10.5
<b>10.4</b>	<b>Conditions to avoid</b>	Direct sunlight. Excessive heat and cold.
<b>10.5</b>	<b>Incompatible materials</b>	None identified.
<b>10.6</b>	<b>Hazardous Decomposition Product(s)</b>	No hazardous decomposition products identified.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### 11.1.2 Mixtures

Acute toxicity	No data available.
Irritation	Causes serious eye irritation. pH 2.0 – 3.5
Corrosivity	Not classified. pH 2.0 - 3.5
Sensitisation	No data available
Repeated dose toxicity	No data available
Carcinogenicity	No data available
Mutagenicity	No data available
Toxicity for reproduction	No data available

**11.2 Other information** No data available.

## SECTION 12: ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b>	Not classified.
<b>12.2 Persistence and degradability</b>	The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC.
<b>12.3 Bioaccumulative potential</b>	Not expected to bioaccumulate..
<b>12.4 Mobility in soil</b>	No data available
<b>12.5 Results of PBT and VPVB assessment</b>	No PBT or VPVB Components
<b>12.6 Other adverse effects</b>	None

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1 Waste treatment methods</b>	<p>Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not burn, or use a cutting torch on, the empty drum.</p> <p>Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.</p>
<b>13.2 Additional Information</b>	None



## SECTION 14: TRANSPORT INFORMATION

<p><b>14.1 Land transport (ADR/RID)</b> UN number Proper Shipping Name Transport hazard class(es) Packing Group Hazard label(s) Environmental hazards Special precautions for user</p>	<p>Not classified for transport.</p>
<p><b>14.2 Sea transport (IMDG)</b> UN number Proper Shipping Name Transport hazard class(es) Packing Group Marine Pollutant Special precautions for user</p>	<p>Not classified for transport.</p>
<p><b>14.3 Air transport (ICAO/IATA)</b> UN number Proper Shipping Name Transport hazard class(es) Packing Group Environmental hazards Special precautions for user</p>	<p>Not classified for transport.</p>
<p><b>14.4 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></p>	<p>Not applicable</p>

## SECTION 15: REGULATORY INFORMATION

<p><b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or mixture</b></p>	<p>1907/2006 – REACH 1272/2008 – CLP 648/2004/EC-Detergents Directive Control of Substance Hazardous to Health (COSHH) Dangerous Substances and Explosive Atmosphere regulations (DSEAR)</p>
<p><b>15.1.1 EU regulations</b></p> <p>Authorisations and/or restrictions on use</p>	<p>Refer to EU regulation for details of any actions or restrictions by the above regulations or directives.</p>
<p><b>15.1.2 National regulations</b></p>	<p>Refer to national regulation for details of any actions or restrictions by the above regulations or directives.</p>
<p><b>15.2 Chemical Safety Assessment</b></p>	<p>A Chemical Safety Assessment has not been carried out for this mixture.</p>

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEL	Predicted No Effect Concentration
RCP	Reciprocal Calculation Procedure

**References:** Sources of information used in preparing this SDS included one or more of the following: results from in-house or supplier toxicology studies; publications from trade associations; ECHA publications; EU guidelines and other sources as appropriate

### Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.

P102: Keep out of reach of children.  
P261: Avoid breathing vapours/spray.  
P264: Wash skin thoroughly after handling.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.  
P501: Dispose of contents/container to: hazardous waste site.

### Additional Information

Revision 1.1 was issued on 4 August 2014 to re-classify Glycerol.  
Revision 1.2 was issued on 20 January 2018 to re-classify the hazards presented by the ingredients in Section 3.  
Revision 1.3 was issued on 17 November 2022 to reclassify the hazards due to a reformulation of the product.

This Safety Data Sheet has been produced by d5 Consulting Limited on behalf of Progiene Dairy Hygiene, a division of Rumenco Limited, based on information supplied by the formulators of the product and is believed to be accurate and given in good faith, but it is for the users to satisfy themselves of the suitability of the product for their own particular purpose. d5 Consulting Limited and Progiene Dairy Hygiene, a division of Rumenco Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. Progiene Dairy hygiene, Rumenco Limited and d5 Consulting Limited give no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.